

**Product ID:3102530**



**Stud On Top Single Wheel With Break with CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD**

**Specification : Load Carrying Capacity - 40 kg**

**Wheel:**

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Wheel Size :          | 75 Mm Dia X 32 Mm Wide                                   |
| Wheel Type:           | CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD |
| Wheel Color:          | GREY INSERT RED PU TREAD                                 |
| Bearing Type:         | Double Precision Ball Bearing                            |
| Dust Cover On Wheel : | Wlthout Dust Cover                                       |

**Castor:**

|                   |                                          |
|-------------------|------------------------------------------|
| Fitting Type :    | Stud On Top Single Wheel With Break      |
| Body Type:        | Pressed Sheet Metal Light Duty           |
| Finish Type:      | ELECTRO GALVANISED ZINC COATING          |
| Bearing In Frame: | Ball Bearing Double Layer                |
| Breaking System : | Single Metal Activator Total Lock Brakes |
| Frame Color :     | Zinc Blue                                |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

