

**Product ID:4006287**



**Thread Stud On Top Single Wheel With Break with CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|               |                                                          |
|---------------|----------------------------------------------------------|
| Wheel Size :  | 100 Mm Dia X 38 Mm Wide                                  |
| Wheel Type:   | CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD |
| Wheel Color:  | GREY INSERT RED PU TREAD                                 |
| Bearing Type: | Sleeve Bearing                                           |
|               | Full Galvanized Metal Dust                               |

**Castor:**

|                   |                                            |
|-------------------|--------------------------------------------|
| Fitting Type :    | Thread Stud On Top Single Wheel With Break |
| Body Type:        | Pressed Sheet Metal Light Duty             |
| Finish Type:      | ELECTRO GALVANISED ZINC COATING            |
| Bearing In Frame: | Ball Bearing Double Layer                  |
| Breaking System : | Single Metal Activator Total Lock Brakes   |
| Frame Color :     | Zinc Blue                                  |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

