

**Product ID:4006468**



**Stud On Top Single Wheel With Break with PPCP INSERT WITH BLACK RUBBER TREAD  
PRESSED OVER THE INSERT SLEEVE BEARING**

**Specification : Load Carrying Capacity - 250 kg**

**Wheel:**

|               |                                                                            |
|---------------|----------------------------------------------------------------------------|
| Wheel Size :  | 100 MM DIA X 25 MM WIDE                                                    |
| Wheel Type:   | PPCP INSERT WITH BLACK RUBBER TREAD PRESSED OVER THE INSERT SLEEVE BEARING |
| Wheel Color:  | Milky White                                                                |
| Bearing Type: | Sleeve Bearing                                                             |
| Castor:       | over                                                                       |

|                   |                                          |
|-------------------|------------------------------------------|
| Fitting Type :    | Stud On Top Single Wheel With Break      |
| Body Type:        | Pressed Sheet Metal Light Duty           |
| Finish Type:      | POWDER COATING                           |
| Bearing In Frame: | Ball Bearing Double Layer                |
| Breaking System : | Single Metal Activator Total Lock Brakes |
| Frame Color :     | Powder Coated Black                      |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

