

**Product ID:4007089**




**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with SOLID RP UHMWPE**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                         |
|-----------------------|-------------------------|
| Wheel Size :          | 100 MM DIA X 25 MM WIDE |
| Wheel Type:           | SOLID RP UHMWPE         |
| Wheel Color:          | RED                     |
| Bearing Type:         | Roller Pin Bearing      |
| Dust Cover On Wheel : | Without Dust Cover      |



**Castor:**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                   |
| Finish Type:      | POWDER COATING                                                   |
| Bearing In Frame: | Ball Bearing Double Layer                                        |
| Breaking System : | Single Metal Activator Total Lock Brakes                         |
| Frame Color :     | Powder Coated Black                                              |

**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

