

**Product ID:4101961**



**Thread Stud On Top Single Wheel W/O Break with PPCP INSERT WITH TPR TREAD  
PRESSED OVER THE INSERT**

**Specification : Load Carrying Capacity - 250 kg**

**Wheel:**

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Wheel Size :          | 100 MM DIA X 25 MM<br>WIDE                               |
| Wheel Type:           | PPCP INSERT WITH TPR<br>TREAD PRESSED OVER<br>THE INSERT |
| Wheel Color:          | VIRGIN WHEEL INSERT<br>RED PU TREAD                      |
| Bearing Type:         | Sleeve Bearing                                           |
| <b><u>Castor:</u></b> |                                                          |

|                   |                                           |
|-------------------|-------------------------------------------|
| Fitting Type :    | Thread Stud On Top Single Wheel W/O Break |
| Body Type:        | Pressed Sheet Metal Light Duty            |
| Finish Type:      | CED COATING                               |
| Bearing In Frame: | Ball Bearing Double Layer                 |
| Breaking System : | No Brake                                  |
| Frame Color :     | CED COATED BLACK                          |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

