

**Product ID:5001887**



**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with VIRGIN PPCP INSERT WITH TPU OVERMOLDED TREAD**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                                              |
|-----------------------|----------------------------------------------|
| Wheel Size :          | 125 Mm Dia X 25 Mm Wide                      |
| Wheel Type:           | VIRGIN PPCP INSERT WITH TPU OVERMOLDED TREAD |
| Wheel Color:          | VIRGIN WHEEL INSERT RED PU TREAD             |
| Bearing Type:         | Sleeve Bearing                               |
| Dust Cover On Wheel : | Wlthout Dust Cover                           |

**Castor:**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                   |
| Finish Type:      | POWDER COATING                                                   |
| Bearing In Frame: | Ball Bearing Double Layer                                        |
| Breaking System : | Single Metal Activator Total Lock Brakes                         |
| Frame Color :     | Black                                                            |

**Application:**

**Light Duty General Application & Furniture Applications**




Image not found or type unknown



Image not found or type unknown

