

**Product ID:5005253**



**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with VIRGIN NYLON INSERT WITH NATURAL VIRGIN NYLON OVERMOLDING**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                                                           |
|-----------------------|-----------------------------------------------------------|
| Wheel Size :          | 125 mm Dia X 32 mm Wide                                   |
| Wheel Type:           | VIRGIN NYLON INSERT WITH NATURAL VIRGIN NYLON OVERMOLDING |
| Wheel Color:          | Natural White                                             |
| Bearing Type:         | Sleeve Bearing                                            |
| Dust Cover On Wheel : | Full Galvanized Metal Dust Cover                          |

**Castor:**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                   |
| Finish Type:      | POWDER COATING                                                   |
| Bearing In Frame: | Ball Bearing Double Layer                                        |
| Breaking System : | Single Metal Activator Total Lock Brakes                         |
| Frame Color :     | Black                                                            |

**Application:**

**Light Duty General Application & Furniture Applications**



Image not found or type unknown



Image not found or type unknown

