

Product ID:5006392



**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with
CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD**

Specification : Load Carrying Capacity - 150 kg

Wheel:

| | |
|-----------------------|--|
| Wheel Size : | 125 Mm Dia X 38 Mm Wide |
| Wheel Type: | CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD |
| Wheel Color: | GREY INSERT RED PU TREAD |
| Bearing Type: | Double Precision Ball Bearing |
| Dust Cover On Wheel : | Full Plastic Dust Cover |



Castor:

| | |
|-------------------|---|
| Fitting Type : | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type: | Pressed Sheet Metal Light Duty |
| Finish Type: | ELECTRO GALVANISED ZINC COATING |
| Bearing In Frame: | Ball Bearing Double Layer |
| Breaking System : | Single Metal Activator Total Lock Brakes |

Application:

Frame Color :

Light Duty General Application & Furniture Applications

Image not found or type unknown



Image not found or type unknown

