**Product ID:5006749**

Image not found or type unknown


**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with PPCP INSERT WITH BLACK RUBBER TREAD PRESSED OVER THE INSERT**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

| | |
|---|---|
| Wheel Size : | 125 Mm Dia X 38 Mm Wide |
| Wheel Type: | PPCP INSERT WITH BLACK RUBBER TREAD PRESSED OVER THE INSERT |
| Wheel Color: | Milky White |
| Bearing Type: | Sleeve Bearing |
| Dust Cover On Wheel : | WIthout Dust Cover |

Image not found or type unknown



**Castor:**

| | |
|---|---|
| Fitting Type : | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type: | Pressed Sheet Metal Light Duty |
| Finish Type: | ELECTRO GALVANISED ZINC COATING |
| Bearing In Frame: | Ball Bearing Double Layer |
| Breaking System : | Single Metal Activator Total Lock Brakes |
| Frame Color : | |

**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown




Image not found or type unknown

