

**Product ID:5007378**




**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with  
SOLID VIRGIN UHMWPE**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                         |
|-----------------------|-------------------------|
| Wheel Size :          | 125 Mm Dia X 38 Mm Wide |
| Wheel Type:           | SOLID VIRGIN UHMWPE     |
| Wheel Color:          | Natural White           |
| Bearing Type:         | Sleeve Bearing          |
| Dust Cover On Wheel : | Without Dust Cover      |



**Castor:**

|                   |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE<br>WHEEL W/O BREAK WITH<br>SHOCK ABSORBING<br>SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                            |
| Finish Type:      | CED COATING                                                               |
| Bearing In Frame: | Ball Bearing Double Layer                                                 |
| Breaking System : | Single Metal Activator Total<br>Lock Brakes                               |
| Frame Color :     | CED COATED BLACK                                                          |

**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

