

**Product ID:5007837**



**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with SOLID RP UHMWPE**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                         |
|-----------------------|-------------------------|
| Wheel Size :          | 125 mm Dia X 32 mm Wide |
| Wheel Type:           | SOLID RP UHMWPE         |
| Wheel Color:          | RED                     |
| Bearing Type:         | Sleeve Bearing          |
| Dust Cover On Wheel : | Without Dust Cover      |



**Castor:**

|                   |                                                                  |
|-------------------|------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                   |
| Finish Type:      | CED COATING                                                      |
| Bearing In Frame: | Ball Bearing Double Layer                                        |
| Breaking System : | Single Metal Activator Total Lock Brakes                         |
| Frame Color :     | CED COATED BLACK                                                 |

**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

