

**Product ID:5011679**



**PLATE ON TOP SINGLE WHEEL W/O BREAK WITH SHOCK ABSORBING SPRINGS with  
BLACK NYLON INSERT WITH BLACK RUBBER TREAD PRESSED OVER THE INSERT**

**Specification : Load Carrying Capacity - 150 kg**

**Wheel:**

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| Wheel Size :          | 125 Mm Dia X 38 Mm Wide                                                     |
| Wheel Type:           | BLACK NYLON INSERT<br>WITH BLACK RUBBER<br>TREAD PRESSED OVER<br>THE INSERT |
| Wheel Color:          | Black                                                                       |
| Bearing Type:         | Sleeve Bearing                                                              |
| Dust Cover On Wheel : | Wlthout Dust Cover                                                          |

**Castor:**

|                   |                                                                           |
|-------------------|---------------------------------------------------------------------------|
| Fitting Type :    | PLATE ON TOP SINGLE<br>WHEEL W/O BREAK WITH<br>SHOCK ABSORBING<br>SPRINGS |
| Body Type:        | Pressed Sheet Metal Light Duty                                            |
| Finish Type:      | POWDER COATING                                                            |
| Bearing In Frame: | Ball Bearing Double Layer                                                 |
| Breaking System : | Single Metal Activator Total<br>Lock Brakes                               |
| Frame Color :     | Powder Coated Black                                                       |

**Application:**

**Light Duty General Application & Furniture Applications**



Image not found or type unknown



Image not found or type unknown

