

**Product ID:5200444**



**Plate On Top Single Wheel With Break with CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD**

**Specification : Load Carrying Capacity - 125 kg**

**Wheel:**

|                       |                                                          |
|-----------------------|----------------------------------------------------------|
| Wheel Size :          | 125 Mm Dia X 38 Mm Wide                                  |
| Wheel Type:           | CAST IRON INSERT WITH CAST POLYURETHANE OVERMOLDED TREAD |
| Wheel Color:          | GREY INSERT RED PU TREAD                                 |
| Bearing Type:         | Double Precision Ball Bearing                            |
| Dust Cover On Wheel : | Full Plastic Dust Cover                                  |

**Castor:**

|                   |                                            |
|-------------------|--------------------------------------------|
| Fitting Type :    | Plate On Top Single Wheel With Break       |
| Body Type:        | Pressed Sheet Metal Light Duty             |
| Finish Type:      | POWDER COATING                             |
| Bearing In Frame: | Ball Bearing Double Layer                  |
| Breaking System : | Single Acting Nylon Activator Total Brakes |
| Frame Color :     | Powder Coated Black                        |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

