

**Product ID:8002605**



**Plate On Top Single Wheel With Break with ALUMINIUM DIE CAST INSERT  
OVERMOLDED WITH CAST PU TREAD**

**Specification : Load Carrying Capacity - 250 kg**

**Wheel:**

|                       |                                                               |
|-----------------------|---------------------------------------------------------------|
| Wheel Size :          | 200 Mm Dia X 50 Mm Wide                                       |
| Wheel Type:           | ALUMINIUM DIE CAST<br>INSERT OVERMOLDED<br>WITH CAST PU TREAD |
| Wheel Color:          | RED                                                           |
| Bearing Type:         | Double Precision Ball Bearing                                 |
| Dust Cover On Wheel : | WWithout Dust Cover                                           |

**Castor:**

|                   |                                          |
|-------------------|------------------------------------------|
| Fitting Type :    | Plate On Top Single Wheel With Break     |
| Body Type:        | WELDED METAL BODY                        |
| Finish Type:      | POWDER BLACK COATING                     |
| Bearing In Frame: | Ball Bearing Double Layer                |
| Breaking System : | Single Metal Activator Total Lock Brakes |
| Frame Color :     | Powder Coated Black                      |



**Application:**

**Light Duty General Application & Furniture Applications**

Image not found or type unknown



Image not found or type unknown

